

EXCEL®

Now available from stock for chain 6 mm





CRO

Van Beest has expanded its range of EXCEL® Eye grab hooks with a smaller size, which is suitable for chain diameter 6 mm. The range now extends from 6 up to 32 mm.

These grab hooks can be used to shorten a sling. The throat shaped opening and deep chain pocket will hold the chain firmly in place. The saddle at the bottom of the hook gives full support to the chain link so there is no reduction in WLL.

Please find herewith the latest Van Beest product information including details of these grab hooks. For more information please contact us: sales@vanbeest.com



EXCEL® Eye grab hook EN1677-1, Grade 8

- **Material** : alloy steel, grade 8, quenched and tempered
- **Safety factor** : MBL equals 4 x WLL
- **Standard** : EN 1677-1
- **Finish** : painted yellow (J) or red (R)
- **Certification** : at no extra charge this product can be supplied with a works certificate, a 3.1 material certificate and/or EC Declaration of Conformity

partnumber	WLL	for chain diameter		length		inside width eye	opening	thick-ness	width	width out-side	length out-side	thick-ness	weight each
		inch	mm	a	b								
	t			mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
CRO6J or R	1.12	7/32	6	41	24	23	8	24	20	42	94	6	0.24
CRO7/8J or R	2	1/4-5/16	7-8	52	20	20	10	33	23	46	108	8	0.31
CRO10J or R	3.2	3/8	10	53	29	29	12	41	28	58	123	10	0.53
CRO13J or R	5.4	1/2	13	89	43	39	15	56	40	78	192	18	1.63
CRO16J or R	8.2	5/8	16	103	44	41	18	66	43	96	211	20	2.49
CRO20J or R	12.8	3/4	20	130	37	37	22	75	48	128	241	26	4.3
CRO22J or R	15.5	7/8	22	120	44	44	25	77	57	132	247	26	4.75
CRO26J or R	21.6	1	26	158	46	46	30	100	82	177	320	32	10
CRO32J or R	32.8	1 1/4	32	210	57	57	38	91	88	215	395	39	19.7

VAN BEEST B.V. Manufacturer and Supplier of wire rope- and chain fittings. Reg. trade marks 'Green Pin' and 'Excel'



PO. Box 57
3360 AB Sliedrecht
The Netherlands
Industrieweg 6
3361 HJ Sliedrecht
Telephone +31 184 41 33 00
Telefax +31 184 41 49 59
E-mail sales@vanbeest.com
Internet www.vanbeest.com

